

#### Product Datasheet Safety Helmet pheos B and pheos B-WR



UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189, D-90766 Fürth

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product characteristics</b> | <ul style="list-style-type: none"> <li>• Helmet with slots for uvex visors and earmuffs</li> <li>• side Euroslots adapters (30 mm) for attaching earmuffs</li> <li>• three variable air for maximum ventilation</li> <li>• conventional suspension harness for a comfortable fit (pheos B)</li> <li>• Suspension harness with wheel ratchet for individual width adjustment (pheos B-WR)</li> <li>• 6-point textile suspension harness ensures an optimum fit and comfort</li> <li>• large printing areas for individualization available</li> </ul> |
| <b>Material</b>                | PE                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Weight</b>                  | pheos B: 380 g<br>pheos B-WR: 430 g                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| <b>Standard</b>                | EN 397 with the additional requirement: extremely low temperatures (-30°C) and Molten Metal                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| <b>Size range</b>              | pheos B: 51-61 cm<br>pheos B-WR: 52-61 cm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Retail unit</b>             | 25 pieces                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

**uvex pheos B with conventional suspension harness**

| <b>Art. no.</b> | <b>Typ</b>              | <b>color</b> |
|-----------------|-------------------------|--------------|
| 9772.020        | uvex pheos B, long brim | white        |
| 9772.120        | uvex pheos B, long brim | yellow       |
| 9772.220        | uvex pheos B, long brim | orange       |
| 9772.320        | uvex pheos B, long brim | red          |
| 9772.520        | uvex pheos B, long brim | blue         |
| 9772.920        | uvex pheos B, long brim | black        |

**uvex pheos B-WR with wheel ratchet system**

| <b>Art. no.</b> | <b>Typ</b>                 | <b>color</b> |
|-----------------|----------------------------|--------------|
| 9772.030        | uvex pheos B-WR, long brim | white        |
| 9772.130        | uvex pheos B-WR, long brim | yellow       |
| 9772.230        | uvex pheos B-WR, long brim | orange       |
| 9772.330        | uvex pheos B-WR, long brim | red          |
| 9772.430        | uvex pheos B-WR, long brim | green        |
| 9772.530        | uvex pheos B-WR, long brim | blue         |
| 9772.550        | uvex pheos B-WR, long brim | sky-blue     |
| 9772.730        | uvex pheos B-WR, long brim | pink         |
| 9772.830        | uvex pheos B-WR, long brim | anthracite   |
| 9772.930        | uvex pheos B-WR, long brim | black        |

**accessoires**

| <b>Art. no.</b> | <b>Typ</b>                        |
|-----------------|-----------------------------------|
| 9760.000        | Suspension harness for pheos B    |
| 9760.001        | Suspension harness for pheos B-WR |
| 9760.005        | Sweatband                         |
| 9790.023        | Pen holder                        |
| 9790.022        | Goggle clip                       |
| 9790.005        | Leather chinstrap                 |
| 9790.021        | Forked chinstrap                  |
| 9790.065        | Winter cap, hi-viz yellow         |
| 9790.068        | Winter cap, hi-viz orange         |
| 9790.066        | Balaclava, black                  |
| 9790.010        | Winter cap, knitted (WIN)         |
| 9790.012        | Winter cap, knitted (Alaska)      |
| 9790.015        | Winter cap, size S-M              |
| 9790.016        | Winter cap, size L-XL             |
| 9790.077        | Helmet slot plugs set             |
| 9790.075        | Neck protection, orange           |
| 9790.076        | Neck protection, yellow           |
| 9790.006        | Paper caps                        |

### Head torches

| Art. no.            | Typ                                            |
|---------------------|------------------------------------------------|
| 9790.058            | LED head torch KS-7610-MX                      |
| 9790.028            | LED head torch KS-MC                           |
| 9790.029            | LED head torch KS-6001                         |
| 9790.038            | LED head torch KS-7810-MX (ATEX)               |
| 9790.064 + 9790.069 | LED head torch u-cap sport with helmet adapter |
| 9790.063            | LED head torch pheos LED Lights ATEX           |
| 9790.062            | LED head torch pheos LED Lights                |